

30 Greenough Road, Plaistow, NH 03865 Voice: (603) 382-6119 Fax: (603) 382-3334

⚠ Timberlane.net

@TimberlaneRegional

@ @ Timber lane RSD

② @TimberlaneRSD

EXECUTIVE SUMMARY

February 10, 2022

COVID Data: Rockingham County as reported by State of NH in coordination with the

NH DPHS "Indoor Face mask Recommendation"

Data as of	Test positivity Rate	Rate of new cases	State identified 'Level		
	(Last 7 days)	per 100K Population	of Community		
	Minimal= <5%	(last 14 days).	Transmission"		
	Moderate= 5-10% Substantial=>10%	Minimal= <50			
	Substantial=>10%	Moderate=50-100			
		Substantial = >100			
2/10/22	<mark>11.5%</mark>	<mark>705.4</mark>	Substantial		

https://www.covid19.nh.gov/dashboard

COVID Data: Cases within the facility* as reported by District Administration in

coordination with the NH DPHS "Indoor Face mask Recommendation"

# of Cases/ Cluster within last 14 days	Atkinson Academy	Danville School	Pollard School	Sandown Central / TLC	Sandown North	TRHS	TRMS	Total in District schools
1/27/22-2/10/22	7 cases (6 students, 1 staff)	14 Cases (13 students, 1 staff; 1 clusters)	12 cases (12 students, 0 staff)	2 cases (2 student, 0 staff)	7 cases (5 students, 2 staff)	15 cases (13 students, 2 staff, 2 clusters, 1 outbreak)	8 cases (7 students, 1 staff)	65 cases (58 students, 7 staff, 3 clusters, 1 outbreak)

^{*}Please note that these numbers reflect the number of TRSD students and staff that are COVID positive and may not necessarily have been in the facility during this time period.

NH	NH DPHS <u>INDOOR</u> FACE MASK RECOMMENDATION					
		Level of Community Transmission				
		Minimal	Moderate	Substantial		
cility	Sporadic cases without facility transmission	Optional*	Optional*	Universal [†]		
Cases within facility	Single Cluster	Targeted	Targeted	Universal [†]		
	Multiple clusters or a larger outbreak	Universal [†]	Universal†	Universal†		

*Face mask still recommended for people who want maximal protection for themselves or others (e.g. a household member who is

†Exceptions can be made for classrooms/schools that have achieved a high (>80%) vaccination rate, or where other prevention measures can be strictly implemented (e.g. g. feet of physical distancing).



30 Greenough Road, Plaistow, NH 03865 Voice: (603) 382-6119 Fax: (603) 382-3334

⊕ @TimberlaneRegional

@TimberlaneRSD

2 @TimberlaneRSD


COVID Data: County and Local towns as reported by State of NH and to inform TRSD stakeholders.

	Data as of 2/10/22						
Geographical Distribution PCR test positivity rate (last 7 days)		Antigen and PCR test positivity rate (last 7 days)	Rate of new cases per 100K Population (last 14 days).	Active Cases Total #	Percentage of individuals fully vaccinated		
Atkinson	Data Suppressed*	9.0%	<mark>436</mark>	9	52.3%		
Danville	<mark>8.6%</mark>	<mark>14.0%</mark>	<mark>1012</mark>	22	43.9%		
Plaistow	<mark>5.4%</mark>	<mark>10.3%</mark>	<mark>607</mark>	19	42.6%		
Sandown	11.6%	<mark>17.0%</mark>	<mark>526</mark>	13	45.3%		
Total 4 towns	Unable to calculate	12.6%	<mark>645.3</mark>	63	46.0%		
Rockingham County	9.5%	11.5%	<mark>705.4</mark>	908	55.3%		

^{* &}quot;Data Suppressed: For towns with metric counts between 1-4, data limited to protect the privacy of individuals.

UA- Data unavailable from state website

Total cases associated with district schools over the past 14 days



^{** &}quot;Rate Not Calculated: For towns with cumulative cases between 1-25 in the last 14 days, data limited to protect the privacy of the infected." Per NH State.




30 Greenough Road, Plaistow, NH 03865 Voice: (603) 382-6119 Fax: (603) 382-3334

⊕ @TimberlaneRegional


@TimberlaneRSD

2 @TimberlaneRSD

Rockingham: Community level of transmission- new cases per 100k pop. 14 day avg.



Rockingham County: Test Positivity as a 7 day average





30 Greenough Road, Plaistow, NH 03865 Voice: (603) 382-6119 Fax: (603) 382-3334

⚠ Timberlane.net


@TimberlaneRegional

@TimberlaneRSD

@TimberlaneRSD

Active cases in Atkinson (maximum), Active cases in Danville (maximum), Active cases in Plaistow (maximum), Active Cas...





Date